


KITZ



KITZ COMMERCIAL VALVES

The Reliable Brand

for safe and healthy surroundings

KITZ CORPORATION

KITZ PRODUCTS

PN16FH



BRASS GATE VALVE

Non-Rising Stem, Screwed Bonnet, Solid Wedge
Body Material: Brass
Size: 1/2-2

PN25H



BRONZE GATE VALVE

Non-Rising Stem, Screwed-over Bonnet, Solid Wedge
Body Material: Bronze
Size: 1/2-2

PN20E



BRONZE GATE VALVE

Non-Rising Stem, Screwed Bonnet, Solid Wedge
Body Material: Bronze
Size: 1/2-2

AK150LU



BRONZE GATE VALVE

Rising Stem, Union Bonnet
Designed to MSS SP-80
Body Material : Bronze
Size : 1/4-2

EB
(Undrilled)
EBH
(10K)



BRONZE GATE VALVE

Non-Rising Stem, Screwed Bonnet, Flanged Ends
Body Material: Bronze
Size: 1/2-6

PN25C



BRONZE GLOBE VALVE

Rising Stem, Screwed Bonnet
Body Material: Bronze
Size: 1/2-2

PN16G



BRONZE GLOBE VALVE

Rising Stem, Union Bonnet, PTFE Disc
Body Material: Bronze
Size: 1/2-2

PN20D



BRONZE GLOBE VALVE

Rising Stem, Union Bonnet, PTFE Disc
Body Material: Bronze
Size: 1/2-2

B
(Undrilled)
BH
(10K)



BRONZE GLOBE VALVE

Rising Stem, Screwed Bonnet, Flanged Ends
Body Material: Bronze
Size: 1/2-4

PN25F



BRONZE LIFT CHECK VALVE

Horizontal Lift Check
Body Material: Bronze
Size: 1/2-2

PN16R



BRONZE SWING CHECK VALVE

Swing Check
Body Material: Bronze
Size: 1/2-2

RF



BRONZE LIFT CHECK VALVE

Vertical Lift Check
Body Material: Bronze
Size: 1/2-2

PN16YR



BRONZE SWING CHECK VALVE

Y-Pattern Swing Check
Body Material : Bronze
Size : 1/2-2

PN25Y



Y-PATTERN STRAINER

Stainless Steel Punched Screen
Body Material: Bronze
Size: 1/2-2

TK



BRASS BALL VALVE

Reduced Bore, One-Piece Body
Body Material: Brass
Size: 1/8-2

**SZA
AKSZA**
(NPT)



BRASS BALL VALVE

Full Bore, AKSZA: UL/FM/CSA
Approved
Body Material: Brass
Size: 1/4-4

TN



3-WAY BRASS BALL VALVE

Standard L-Bore
Body Material: Brass
Size: 1/4-3

FV



BRASS BUTTERFLY VALVE

NBR Lined Disc,
Balancing Stop Lever
Body Material: Brass
Size: 1/2-2

125FCL



CAST IRON GATE VALVE

Rising Stem, BB, OS&Y
Body Material: Cast Iron
Size: 2-14

125FCWI



CAST IRON GATE VALVE

Non-Rising Stem, BB,
Inside Screw
Body Material: Cast Iron
Size: 2-12

125FCJ



CAST IRON GLOBE VALVE

Rising Stem, BB, OS&Y
Body Material: Cast Iron
Size: 2-8

125FCO



CAST IRON SWING CHECK VALVE

Bolted Cover, Swing Check
Body Material: Cast Iron
Size: 2-10

125FCY



CAST IRON Y-PATTERN STRAINER

Stainless Steel Punched
Screen
Body Material: Cast Iron
Size: 2-14

125FCTB



CAST IRON BALL VALVE

Full Bore, SS Ball
Body Material: Cast Iron
Size: 2-8

PN16FWNBM



CAST IRON WAFER CHECK VALVE

Double Plate, No by-pass
Valve Mounted.
Body Material : Cast Iron
Seat : Rubber (NBR)
Size : 2-12

9515 series



FIXED ORIFICE DRV

Flow Rate & Balancing in
the Hydronic Systems.
Body Material : Brass
Size : 1/2-2

9555P



VARIABLE ORIFICE DRV

Flanged Ends PN16,
Lengths EN558-1.
Body Material : Cast Iron
Size : 2 1/2-12

G-10XJME
(10K/150)



10XJME
(10K/150)



**G-PN16
XJME**
(PN16)

**PN16
XJME**
(PN16)

ALUMINUM BUTTERFLY VALVE

316SS Disc, Replaceable EPDM Liner,
Dew-Condensation Proof
Body Material: Aluminum Die-cast
Size: (Lever)10XJME 1 1/2-6, PN16XJME 2-6
(Gear)G-10XJME 1 1/2-12, G-PN16XJME 2-8

**200/250DJ
G-150/200/250DJ
PN16DJ
G-PN16DJ**




DUCTILE IRON BUTTERFLY VALVE

DI Disc, NBR Liner, Extended Stem
Body Material: Ductile Iron
Size: (Lever)200/250DJ, PN16DJ 2-8
(Gear)G-150DJ 14-24, G-200/250DJ 2-8, G-PN16DJ 2-24




Ductile Iron Valves



Cast Steel Valves



Stainless Steel Ball Valves



Stainless Steel Valves



Stainless Steel Valves



Steel Ball Valves




Electric Actuated Valves



Pneumatic Actuated Valves

ISO 9001 certified since 1989



— Distributed by —

1-10-1, Nakase, Mihama-ku, Chiba 261-8577, Japan
International Sales Dept. Phone : 81-43-299-1730, 1732 and 1733 Fax : 81-43-299-0121