

# KITZ



# KITZ INDUSTRIAL VALVES

The Reliable Brand

150SCLS, 150SCJS, 150SCOS, 150SCTDZ, 300SCLS, 300SCJS, 300SCOS, 300SCTDZ, 600SCLS, 600SCJS, 600SCOS, 600SF3TCS, 600UF3TCS, SCK, 800SCK, 3000SCK, SC3TZ, 150UMA, 150UMHA, 150UPA, 150UOA, 150UNA, 300UMA, 300UMHA, 300UPA, 300UOA, 300UNA, 150UTDZ, 150UTR, 300UTDZ, 300UTR, UTK, UTHM, UTFM, U3TZM, UEL, UEB, UJ, UJB, UO, UOB, UY, UYB

KITZ CORPORATION

# KITZ PRODUCTS

**150SCLS**  
(G-150SCLS)



**CAST STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~36

**150SCJS**  
(G-150SCJS)



**CAST STEEL GLOBE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~18

**150SCOS**



**CAST STEEL SWING CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~30

**150SCTDZ**  
(G-150SCTDZ)



**CAST STEEL BALL VALVE**

Full bore, Floating ball,  
Flanged ends  
Body Material: WCB  
Size: 1/2~10

**300SCLS**  
(G-300SCLS)



**CAST STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~30

**300SCJS**  
(G-300SCJS)



**CAST STEEL GLOBE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~16

**300SCOS**



**CAST STEEL SWING CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: WCB  
Size: 1 1/2~30

**300SCTDZ**  
(G-300SCTDZ)



**CAST STEEL BALL VALVE**

Full bore, Floating ball,  
Flanged ends  
Body Material: WCB  
Size: 1/2~8

**600SCLS**  
(G-600SCLS)



**CAST STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 2~24

**600SCJS**  
(G-600SCJS)



**CAST STEEL GLOBE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: WCB  
Size: 2~12

**600SCOS**



**CAST STEEL SWING CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: WCB  
Size: 2~24

**600SF3TCS**  
(G-600SF3TCS)



**CAST STEEL BALL VALVE**

Full bore, Trunnion ball,  
Flanged ends  
Body Material: A105  
Size: 2~24

**SCTK** Type 600



**CAST STEEL BALL VALVE**

Reduced bore, One-piece  
body, Threaded ends  
Body Material: WCB  
Size: 1/4~2

**800SCTK** 800



**STEEL BALL VALVE**

Reduced bore  
body, Threaded ends  
Body Material: A105  
Size: 1/4~2

**3000SCTK** Type 3000



**STEEL BALL VALVE**

Reduced bore  
body, Threaded ends  
Body Material: A105  
Size: 1/4~2

**SC3TZ** Type 1000



**CAST STEEL BALL VALVE**

Reduced bore, 3-piece body,  
Threaded ends  
Body Material: WCB  
Size: 1/2~2 (Lever handle available)

•The details of specification are as per Kitz individual catalogs and drawings.

**150**

**150UMA(M)**



**STAINLESS STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UMAM)  
Size: 1/2~24

**150**

**150UMHA(M)**



**STAINLESS STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UMAM)  
Size: 1/2~24

**150**

**150UPA(M)**  
(G-150UPA(M))




**STAINLESS STEEL GLOBE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UPAM)  
Size: 1/2~12

**150**

**150UOA(M)**



**STAINLESS STEEL SWING CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: CF8/CF8M(UOAM)  
Size: 1 1/2~24

**150**

**150UNA(M)**



**STAINLESS STEEL LIFT CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: CF8/CF8M(UNAM)  
Size: 1/2~1 1/2

**300**

**300UMA(M)**



**STAINLESS STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UMAM)  
Size: 1/2~24

**300**

**300UMHA(M)**



**STAINLESS STEEL GATE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UMAM)  
Size: 1/2~24

**300**

**300UPA(M)**  
(G-300UPA(M))



**STAINLESS STEEL GLOBE VALVE**

BB, Rising stem, OS&Y,  
Flanged ends  
Body Material: CF8/CF8M(UPAM)  
Size: 1/2~10

**300**

**300UOA(M)**



**STAINLESS STEEL SWING CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: CF8/CF8M(UOAM)  
Size: 1 1/2~24

**300**

**300UNA(M)**



**STAINLESS STEEL LIFT CHECK VALVE**

Bolted cover,  
Flanged ends  
Body Material: CF8/CF8M(UNAM)  
Size: 1/2~1 1/2

**150**

**150UTB(M)**  
(G-150UTB(M))



**STAINLESS STEEL BALL VALVE**

Full bore, Floating ball,  
Flanged ends  
Body Material: CF8/CF8M(UTBM)  
Size: 1/2~10

**150**

**600UF3TCSM**  
(G-600UF3TCSM)



**CAST STEEL BALL VALVE**

Full bore, Trunnion ball,  
Flanged ends  
Body Material: A182 Gr.F316 or A479 TYPE316  
Size: 2~24

**150**

**150UTDZ(M)**  
(G-150UTDZ(M))



**STAINLESS STEEL BALL VALVE**

Full bore, Floating ball,  
Flanged ends  
Body Material: CF8/CF8M(UTDZM)  
Size: 1/2~10

**300**

**300UTDZ(M)**  
(G-300UTDZ(M))



**STAINLESS STEEL BALL VALVE**

Full bore, Floating ball,  
Flanged ends  
Body Material: CF8/CF8M(UTDZM)  
Size: 1/2~8

**300**

**300UTR(M)**



**STAINLESS STEEL BALL VALVE**

Reduced bore, Floating ball,  
Flanged ends  
Body Material: CF8/CF8M(UTRM)  
Size: 2~10

**Type 600**

**UTK(M)**



**STAINLESS STEEL BALL VALVE**

Reduced bore, One-piece  
body, Threaded ends  
Body Material: CF8/CF8M(UTKM)  
Size: 1/4~2

**UTHM** Type 800



**STAINLESS STEEL BALL VALVE**

Reduced bore,  
Threaded ends  
Body Material: CF8M  
Size: 1/2~2

**UTFM** Type 1000



**STAINLESS STEEL BALL VALVE**

Full bore,  
Threaded ends  
Body Material: CF8M  
Size: 1/2~2

**U3TZM** Type 1000



**STAINLESS STEEL BALL VALVE**

Reduced bore, 3-piece body,  
Threaded ends  
Body Material: CF8M  
Size: 1/2~2



**Ductile Iron Valves**



**Ductile Iron Butterfly Valves**



**Electric Actuated Valves**



**Pneumatic Actuated Valves**



**Cryogenic Valves**




**Trunnion Mounted Ball Valves**



**Duplex Stainless Steel Valves**

ISO 9001 certified since 1989

**KITZ**  
KITZ CORPORATION



— Distributed by —

1-10-1, Nakase, Mihama-ku, Chiba 261-8577, Japan  
International Sales Dept. Phone : 81-43-299-1730, 1732 and 1733 Fax : 81-43-299-0121  
URL : [www.kitz.co.jp](http://www.kitz.co.jp)